

(MSDS)

Printing date 01/10/2019 Version - No. 2 Reviewed on 01/10/2019

1 Identification

- 1.1 Product identifier
- Trade name: CRYOPERM®, VACOPERM®, ULTRAPERM®
- Article number:

CRYOPERM, VACOPERM 100, - 100 D, - 100 R, -77 FM, ULTRAPERM F, -10, - Z, -FF, - 250/250 TK, - 200, - F 80, -91 R

® registered trademark of VACUUMSCHMELZE GmbH & Co. KG

- Material Safety Data Sheet no.: IB22
- Application of the substance / the mixture semi-finished products and parts
- 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

VACUUMSCHMELZE GmbH & Co.KG

Grüner Weg 37

D-63450 Hanau

datasheet@vacuumschmelze.com

- Information department: Environmental Protection Department
- 1.4 Emergency telephone number: Tel. no.: (**49) 6181/38-0 Emergency tel. no.: via (**49) 6181/38-0

2 Hazard(s) identification

• 2.2 Classification (substance or mixture)

Classification according to Regulation (EC) No 1272/2008 (CLP-Regulation):

Not applicable

Our semi-finished and finished products constitute manufactured articles under the terms of the REACH Regulation (EC) No. 1907/2006.

For articles there is no obligation to classify acc. to CLP -Regulation.

• 2.2 Labelling according to Regulation (EC) No 1272/2008

Labelling according to Regulation (EC) No 1272/2008 (CLP-Regulation):

Not applicable

Additional VAC information:

In the case of dust-producing processing, we recommend observance of the following warnings:

Hazard statements

May cause an allergic skin reaction.

Suspected of causing cancer.

Causes damage to organs through prolonged or repeated exposure.

Precautionary statements

Do not breathe dust/fume/gas/mist/vapors/spray.

Do not eat, drink or smoke when using this product.

Avoid release to the environment.

Use personal protective equipment as required.

In case of inadequate ventilation wear respiratory protection.

Get medical advice/attention if you feel unwell.

• 2.3 Other hazards

- Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable.

USA-



(MSDS)

Trade name: CRYOPERM®, VACOPERM®, ULTRAPERM®

(Contd. of page 1)

3 Composition/information on ingredients

- 3.2 Chemical characterization:
- Description: Metal in compact form
- Dangerous components:

The classifications given below reflect the classification of each <u>pure substance</u> respectively and are intended for information only

The legal classifications of the pure substances (harmonized classification according to substance list of the Annex VI of the CLP Regulation) got complemented, insofar as additional substance-specific information from accessible data sources (e.g. TRGS 905, toxicological studies) for health hazards and / or physical hazards are available.

CAS: 7440-02-0 EINECS: 231-111-4 Index number: 028-002-00-7	nickel © Carc. 2, H351; STOT RE 1, H372; ① Skin Sens. 1, H317	~ 77%
CAS: 7439-89-6 EINECS: 231-096-4	iron (compact form)	rest%
CAS: 7440-50-8 EINECS: 231-159-6	copper	<5%
CAS: 7439-98-7 EINECS: 231-107-2	molybdenum	<4%

• Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

- 4.1 Description of first aid measures
- After inhalation:

If metal vapours or solid dusts have been inhaled:

Get the affected person out in the fresh air and call a doctor.

After skin contact:

Foreign bodies which have penetrated the skin must be removed and the wound cleaned thoroughly.

After eve contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing: Consult a doctor if the symptoms persist.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents:

Non-combustible.

Extinguishing agents must be adapted to the environment.

• 5.2 Special hazards arising from the substance or mixture

Formation of toxic smoke / fumes (metal / metal oxides) is possible during heating or in case of fire. Do not inhale fumes.

(Contd. on page 3)



(MSDS)

Trade name: CRYOPERM®, VACOPERM®, ULTRAPERM®

(Contd. of page 2)

• 5.3 Advice for firefighters

• Protective equipment: No special measures required.

6 Accidental release measures

Accidental release of dusts and vapours which are damaging to health can be ruled out.

- 6.1 Personal precautions, protective equipment and emergency procedures No special measures required.
- 6.2 Environmental precautions: No special measures required.
- 6.3 Methods and material for containment and cleaning up: No special measures required.
- 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

•7.1 Precautions for safe handling

No safety precautions are necessary in the delivered form.

The appropriate industrial and environmental safety measures

must be taken for processing steps which cause dust

(see also section 8):

Ensure good ventilation/exhaustion at the workplace.

Take note of emission threshold.

- Information about protection against explosions and fires: No special measures required.
- 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.
- Storage class: Not applicable
- 7.3 Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems:

Provide suction with filtering for good airing and ventilation of the work area during processing steps which cause dust. Air return is only permitted in exceptional cases.

If industrial vacuum cleaners are used, these must have dust class H (DIN EN 60335-2-69).

Suitable breathing apparatus must be used during repair and maintenance work to suction systems, especially when changing filters (see personal safety equipment).

• 8.1 Control parameters

• Components with limit values that require monitoring at the workplace:

7440-02-0 nickel	
PEL (USA)	Long-term value: 1 mg/m ³
REL (USA)	Long-term value: 0.015 mg/m³ as Ni; See Pocket Guide App. A

(Contd. on page 4)



(MSDS)

Printing date 01/10/2019 Version - No. 2 Reviewed on 01/10/2019

Trade name: CRYOPERM®, VACOPERM®, ULTRAPERM®

			(Contd. of page 3)
Т	LV (USA)	Long-term value: 1.5* mg/m³	(Conta. or page 3)
		elemental, *inhalable fraction	
E		Long-term value: 0.05 mg/m³ ACGIH A1, IARC 2B	
E	V (Canada)	Long-term value: 1 mg/m ³ Inhalable fraction	
7	439-89-6 iro	n (compact form)	
Е	V (Canada)	Long-term value: 1* 5** mg/m³ as iron;*salts, water-soluble;**welding fume	
7	440-50-8 co	pper	
Р	EL (USA)	Long-term value: 1* 0.1** mg/m³ as Cu *dusts and mists **fume	
R	EL (USA)	Long-term value: 1* 0.1** mg/m³ as Cu *dusts and mists **fume	
Т	LV (USA)	Long-term value: 1* 0.2** mg/m³ *dusts and mists; **fume; as Cu	
E	L (Canada)	Long-term value: 1* 0.2** mg/m³ *dusts and mists; **fume, as Cu	
E	V (Canada)	Long-term value: 0.2* 1** mg/m³ as copper, *fume;**dust and mists	
7	439-98-7 mc	olybdenum	
Р	EL (USA)	Long-term value: 15* mg/m³ *Total dust, as Mo	
Т	LV (USA)	Long-term value: 10* 3** mg/m³ as Mo; *inhalable fraction ** respirable fraction	
E	L (Canada)	Long-term value: 3* 10** mg/m³ as Mo; *respirable **inhalable	
E	V (Canada)	Long-term value: 10* 3** 0.5*** mg/m³ metal,insol.compd.:*inh;**resp;sol.compd.:***resp	

• DNELs

DNELs for OSH purposes

In Germany, occupational exposure limits (AGW) of the Technical Rules on Hazardous Substances (TRGS) 900 continue to constitute workplace atmospheric limit values that are binding upon employers. Should no AGW and for example no maximum workplace concentration (MAK value) of the German Research Foundation (DFG) be available, the employer must also consider the DNEL during risk assessment.

(Source: Institut für Arbeitsschutz der Deutschen Gesetzlichen Unfallversicherung (IFA)) current values are available: http://www.dguv.de/ifa/gestis/gestis-dnel-liste/index.jsp.

7440-02-0 nickel		
Inhalative	Langzeitexposition - Inhalation - lokale Wirkung	0.05 mg/m³ (Ind)
	Langzeitexposition - Inhalation - system. Wirkung	0.05 mg/m³ (Ind)

• Additional Occupational Exposure Limit Values for possible hazards during processing:

For thermal processes in the presence of atmospheric oxygen, oxidic nickel compounds must always be assumed.

Additional information:

The lists that were valid during the creation were used as basis.

GESTIS International Limit Values:

http://www.dguv.de/ifa/Gefahrstoffdatenbanken/GESTIS-Internationale-Grenzwerte-für-chemische-Substanzen-limit-values-for-chemical-agents/index.jsp

(Contd. on page 5)



(MSDS)

Printing date 01/10/2019 Version - No. 2 Reviewed on 01/10/2019

Trade name: CRYOPERM®, VACOPERM®, ULTRAPERM®

(Contd. of page 4)

- 8.2 Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

• Breathing equipment:



In the case of dust formation (limit value exceeded), breathing apparatus must be worn. Time limits for wearing must be observed.

Breathing mask, apparatus with particle filter P2 or P3, for example:

- Full face mask (EN 136)
- Breathing mask (EN 149) FFP2 or FFP3
- 10 times the limit value (FFP2)
- 30 times the limit value (FFP3)
- Recommendation: P3

Protection of hands:



Avoid repeated and prolonged contact with the skin, use protective gloves.

Preventive skin protection by use of skin-protecting agents is recommended.

Material of gloves

Experience has shown glove materials polychloroprene, nitrile caoutchouc, butyl caoutchouc, fluoride caoutchouc and polyvinylchloride to offer sufficient protection.

- Penetration time of glove material -
- Eye protection:



In the event of larger quantities of dust:

Wear protective glasses / EN 166, poss. with side protection.

• Limitation and supervision of exposure into the environment

The legal issue values and limitations are to be paid attention!

9 Physical and chemical properties

- 9.1 Information on basic physical and chemical properties
- General Information
- Appearance:

Form: Semi-finished products/parts: e.g. strip, wire and parts

Color: Metallic
• Odor: Odourless

• pH-value: Not applicable.

Change in condition

Melting point/Melting range (approx): 1,400-1,500 °C

• Auto igniting: Not applicable
• Danger of explosion: Not applicable
• Vapor pressure: Not determined.
• Density (approx) at 20 °C: 8.7 g/cm³

(Contd. on page 6)



(MSDS)

Printing date 01/10/2019 Version - No. 2 Reviewed on 01/10/2019

Trade name: CRYOPERM®, VACOPERM®, ULTRAPERM®

(Contd. of page 5)

	(Conta. of page 5)
Relative density	Not determined.
 Solubility in / Miscibility with 	
Water:	Insoluble.
• Partition coefficient (n-octanol/water):	Not determined.
9.2 Other information	No further relevant information available.

10 Stability and reactivity

- 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions

Hydrogen is released in contact with acid which can cause explosive gas mixtures.

- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- 11.1 Information on toxicological effects
- Acute toxicity: Based on available data, the classification criteria are not met.

• LD/LC50 values:		
7440-02-0 nickel		
Oral LD50 >9,000 mg/kg (rat)		

- Primary irritant effect:
- on the skin: see sensitization
- on the eye:

Irritation of the eyes in the case of massive direct contact will be mainly due to mechanical effects depending on the grain size.

Sensitization:

May cause an allergic skin reaction.

- Additional toxicological information:
- Carcinogenic categories

IARC (International Agency for Research on Cancer)	
7440-02-0 nickel	2B
NTP (National Toxicology Program)	
7440-02-0 nickel	R
OSHA-Ca (Occupational Safety & Health Administration)	
None of the ingredients is listed.	

12 Ecological information

- 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.

(Contd. on page 7)



(MSDS)

Printing date 01/10/2019 Version - No. 2 Reviewed on 01/10/2019

Trade name: CRYOPERM®, VACOPERM®, ULTRAPERM®

(Contd. of page 6)

- Additional ecological information:
- General notes: Alloys in solid form do not pose an ecological threat.
- 12.5 Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

13 Disposal considerations

- 13.1 Waste treatment methods
- Recommendation: Observe offical regulations.
- Uncleaned packagings: Not applicable

14 Transport information

- Transport/Additional information:
- ADR
- Remarks: Non-hazardous goods from the standpoint of the specified regulations
- Maritime transport IMDG:
- Remarks: Non-hazardous goods from the standpoint of the specified regulations
- Air transport ICAO-TI and IATA-DGR
- Remarks: Non-hazardous goods from the standpoint of the specified regulations

15 Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- National regulations:
- Information about limitation of use:

Employment restrictions concerning young persons must be observed.

Employment restrictions concerning pregnant and lactating women must be observed.

--

- Technical instructions (air): The emission values and limitations must be observed!
- Water hazard class: Alloys in solid form do not pose an ecological threat.
- Other regulations, limitations and prohibitive regulations

e.g.

- 1272/2008/EG (CLP)
- 1907/2006/EG (REACH)
- German Hazardous Substances
- 15.2 Chemical safety assessment: Void (for articles)

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

Wording of the hazard warnings mentioned (Chapter 3) for pure substances:

(Contd. on page 8)



(MSDS)

Printing date 01/10/2019 Reviewed on 01/10/2019 Version - No. 2

Trade name: CRYOPERM®, VACOPERM®, ULTRAPERM®

(Contd. of page 7)

H317 May cause an allergic skin reaction.

H351 Suspected of causing cancer.

H372 Causes damage to organs through prolonged or repeated exposure.

Department issuing SDS:

Department OPS-C SE Tel. 06181/38-2045

• Contact:

Environmental Protection Department

Tel. 06181/38-2359

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of

Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Skin Sens. 1: Skin sensitisation - Category 1

Carc. 2: Carcinogenicity – Category 2

STOT RE 1: Specific target organ toxicity (repeated exposure) - Category 1

Sources

- KÜHN-BIRETT-Merkblätter gefährlicher Arbeitsstoffe
- Technische Regeln für Gefahrstoffe

USA