Printing date 04.03.2020

Revision: 04.03.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

• 1.1 Product identifier

• Trade name: MUMETALL[®], VACOPERM HP[®]

• Detailed descriptions:

® registered trademark of VACUUMSCHMELZE GmbH & Co. KG

- Information sheet no.: IB281
- Remarks for information sheet

Our semi-finished and finished products constitute manufactured articles under the terms of the REACH Regulation (EC) No. 1907/2006.

Articles are not subject to any legal obligation concerning production and distribution of material safety data sheets. The detailed information usually shown in a safety data sheet will be provided in the form of an 'Information sheet for articles' for specific alloys.

However, we expressly point out that these information sheets for articles are voluntarily produced data sheets which are not governed by the requirements of the REACH regulation.

• 1.2 Relevant identified uses of the substance or mixture and uses advised against Not applicable

- Application of the article: semi-finished products and parts
- 1.3 Details of the supplier of the information sheet
- Manufacturer/Supplier: VACUUMSCHMELZE GmbH & Co.KG Grüner Weg 37 D-63450 Hanau

datasheet@vacuumschmelze.com

- Further information obtainable from: Environmental Protection Department
- **1.4 Emergency telephone number:** Tel. no.: (**49) 6181/38-0 Emergency tel. no.: via (**49) 6181/38-0

SECTION 2: Hazards identification

- 2.2 Classification (substance or mixture) Classification according to Regulation (EC) No 1272/2008 (CLP-Regulation): Not applicable For articles there is no obligation to classify acc. to CLP -Regulation.
- 2.2 Labelling according to Regulation (EC) No 1272/2008 Labelling according to Regulation (EC) No 1272/2008 (CLP-Regulation): Not applicable
- Additional VAC information: In the case of dust-producing processing, we recommend observance of the following warnings :
 Hazard statements May cause an allergic skin reaction. May cause cancer by inhalation. Route of exposure: Inhalation. Causes damage to organs through prolonged or repeated exposure.
 Precautionary statements Do not breathe dust/fume/gas/mist/vapours/spray. Wear protective gloves/protective clothing/eye protection/face protection. IF exposed or concerned: Get medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. (Contd. on page 2)



for articles

Version number 2

Revision: 04.03.2020

Trade name: MUMETALL[®], VACOPERM HP[®]

(Contd. of page 1)

• 2.3 Other hazards

Results of PBT and vPvB assessment

• PBT: Not applicable.

• vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- 3.2 Chemical characterization:
- Description: Metal in compact form

• Components(composition):

The classifications given below reflect the classification of each <u>pure substance</u> respectively and are intended for information only

The legal classifications of the pure substances (harmonized classification according to substance list of the Annex VI of the CLP Regulation) got complemented, insofar as additional substance-specific information from accessible data sources (e.g. TRGS 905, toxicological studies) for health hazards and / or physical hazards are available.

The concentration of cobalt might be $\ge 0,1\%$ (impurities)

* = possible inpurities

CAS: 7440-02-0		nickel	~ 77%	
EINECS: 231-111-4		🚯 Carc. 2, H351; STOT RE 1, H372; 🕔 Skin Sens. 1, H317		
Index number: 028-002-00-7				
CAS: 7440-50-8		copper	<5%	
EINECS: 231-159-6		substance with a Community workplace exposure limit		
RTECS: GL 5325000				
CAS: 7440-48-4		cobalt	< 0.2*%	
EINECS: 231-158-0		🚸 Resp. Sens. 1, H334; Carc. 1B, H350i; Repr. 1B, H360F; 🚸 Acute		
Index number: 027-00	1-00-9	Tox. 4, H302; Skin Sens. 1, H317; Aquatic Chronic 4, H413		
RTECS: GF 8750000				
NON-hazardous Ingredients				
CAS: 7439-89-6	iron (c	ompact form)	rest%	
EINECS: 231-096-4				
RTECS: NO 4565500				
CAS: 7439-98-7	molybo	denum	< 4%	
EINECS: 231-107-2				
RTECS: QA 4680000				
·				

• Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

• After inhalation:

If metal vapours or dusts have been inhaled: Get the affected person out in the fresh air and call a doctor.

• After skin contact:

Foreign bodies which have penetrated the skin must be removed and the wound cleaned thoroughly.

- After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: Consult a doctor if the symptoms persist.

• 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)



for articles

Version number 2

Revision: 04.03.2020

Trade name: MUMETALL[®], VACOPERM HP[®]

• 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents: Non-combustible.

Extinguishing agents must be adapted to the environment.

• 5.2 Special hazards arising from the substance or mixture

Formation of toxic smoke / fumes (metal / metal oxides) is possible during heating or in case of fire. Do not inhale fumes.

- 5.3 Advice for firefighters
- Protective equipment: No special measures required.

SECTION 6: Accidental release measures

Accidental release of dusts and vapours which are damaging to health can be ruled out.

- 6.1 Personal precautions, protective equipment and emergency procedures No special measures required.
- 6.2 Environmental precautions: No special measures required.
- 6.3 Methods and material for containment and cleaning up: No special measures required.
- 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling

No safety precautions are necessary in the delivered form. The appropriate industrial and environmental safety measures must be taken for processing steps which cause dust (see also section 8): Ensure good ventilation/exhaustion at the workplace. Take note of emission threshold.

• Information about fire - and explosion protection: No special measures required.

•7.2 Conditions for safe storage, including any incompatibilities

Storage:

• Requirements to be met by storerooms and receptacles: No special requirements.

• Information about storage in one common storage facility: Not required.

- Further information about storage conditions: Not applicable
- Storage class: Not applicable
- •7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

Additional information about design of technical facilities:

Provide suction with filtering for good airing and ventilation of the work area during processing steps which cause dust. Air return is only permitted in exceptional cases.

If industrial vacuum cleaners are used, these must have dust class H (DIN EN 60335-2-69).

(Contd. on page 4)



Printing date 04.03.2020

(Contd. of page 2)

for articles

Version number 2

Revision: 04.03.2020

Trade name: MUMETALL[®], VACOPERM HP[®]

(Contd. of page 3) Suitable breathing apparatus must be used during repair and maintenance work to suction systems, especially when changing filters (see personal safety equipment). • 8.1 Control parameters

• Ingredients with limit values that require monitoring at the workplace:

For International Limit Values see Additional information below.

7440-02-0 nickel AGW (Germany) Long-term value: 0.006A; 0.030E* mg/m³ 8(II);AGS, 24, Sh, Y, 10*, 31* 7440-50-8 copper DEG (Germany) Long-term value: 0.1 E mg/m³

Di O (Oeiiii	any)	als Cu	
MAK (Germ	any)	Long-term value: 0.01 A mg/m³ als Cu	
7439-98-7 molybdenum			
MAK (Germ	any)	vgl.Abschn.IIb und XII	

7440-48-4 cobalt

7440-48-4 Cobalt

ERB (Germany) 0.5 µg/m³ (A) bzw. 5µg/m³ (A) MAK (Germany) einatembare Fraktion; vgl.Abschn.XIII

DNELs

DNELs for OSH purposes

In Germany, occupational exposure limits (AGW) of the Technical Rules on Hazardous Substances (TRGS) 900 continue to constitute workplace atmospheric limit values that are binding upon employers. Should no AGW and for example no maximum workplace concentration (MAK value) of the German Research Foundation (DFG) be available, the employer must also consider the DNEL during risk assessment.

(Source: Institut für Arbeitsschutz der Deutschen Gesetzlichen Unfallversicherung (IFA))

current values are available: http://www.dguv.de/ifa/gestis/gestis-dnel-liste/index.jsp.

7440-02-0 nickel				
Inhalative	Long-term exposure - inhalation - local effects	0.05 mg/m³ (Ind)		
	Long-term exposure - inhalation - systemic effects	0.05 mg/m³ (Ind)		
7440-48-4	7440-48-4 cobalt			
Inhalative	Long-term exposure - inhalation - local effects	0.04 mg/m³ (Ind)		
		0.0063 mg/m³ (Consumer)		

• Additional Occupational Exposure Limit Values for possible hazards during processing:

Compliance with the general dust limit value(s) (lung penetrating and/or inhalable fraction) must be ensured. The AGW for nickel is to be used only for nickel metal.

For thermal processes in the presence of atmospheric oxygen, oxidic nickel compounds must always be assumed and the ERB (TRGS 910) must be applied.

Additional information:

- The lists valid during the making were used as basis.

- GESTIS International Limit Values:

http://www.dguv.de/ifa/Gefahrstoffdatenbanken/GESTIS-Internationale-Grenzwerte-für-chemische-Substanzen-limit-values-for-chemical-agents/index.jsp

• 8.2 Exposure controls

- Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work. Store protective clothing separately.

Do not eat, drink, smoke or sniff while working.





Version number 2

Revision: 04.03.2020

Trade name: MUMETALL[®], VACOPERM HP[®]

(Contd. of page 4)

• Respiratory protection:



In the case of dust formation (limit value exceeded), breathing apparatus must be worn. Time limits for wearing must be observed.

- Breathing mask, apparatus with particle filter P2 or P3, for example:
- Full face mask (EN 136)
- Breathing mask (EN 149) FFP2 or FFP3
- 10 times the limit value (FFP2)
- 30 times the limit value (FFP3)
- Recommendation: P3
- Protection of hands:



Avoid repeated and prolonged contact with the skin, use protective gloves.

Preventive skin protection by use of skin-protecting agents is recommended.

- Material of gloves
- Experience has shown glove materials polychloroprene, nitrile caoutchouc, butyl caoutchouc, fluoride caoutchouc and polyvinylchloride to offer sufficient protection.
- Penetration time of glove material -
- Eye protection:



In the event of larger quantities of dust:

Wear protective glasses / EN 166, poss. with side protection.

• Limitation and supervision of exposure into the environment The legal issue values and limitations are to be paid attention!

SECTION 9: Physical and chemical properties

General Information	
• Appearance:	O anti finished and duate (a antaŭ a la ataja unina la anta and b ant
Form:	Semi-finished products/parts: e.g. strip, wire, parts and bars
Colour:	Metallic
• Odour:	Odourless
• pH-value:	Not applicable.
Change in condition Melting point/Melting range (app	prox.): 1,400-1,500 °C
 Auto-ignition temperature: 	Not applicable
 Explosive properties: 	Not applicable
• Vapour pressure:	Not determined.
• Density (approx.) at 20 °C:	8.7 g/cm ³
Relative density	Not determined.
 Solubility in / Miscibility with 	



for articles

Version number 2

Revision: 04.03.2020

(Contd. of page 5)

Trade name: MUMETALL[®], VACOPERM HP[®]

• 9.2 Other information

No further relevant information available.

SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions
- Hydrogen is released in contact with acid which can cause explosive gas mixtures.
- •10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

• 11.1 Information on toxicological effects

• Acute toxicity Based on available data, the classification criteria are not met.

• LD/LC50 values:					
7440-02-0 nickel					
Oral	LD50	>9,000 mg/kg (rat)			
7440-48-4	7440-48-4 cobalt				
Oral	LD50	550 mg/kg (rat)			
Inhalative	LC50/4 h	mg/l (rat)			
		siehe zusätzlicher toxikologischer Hinweis / see additional toxicological information			
• Primary ir	Primary irritant effect:				
 Skin corrosion/irritation Based on available data, the classification criteria are not met. 					
• Serious eye damage/irritation Irritation of the eyes in the case of massive direct contact will be mainly due to mechanical effects depending on					

the grain size. • Respiratory or skin sensitisation

May cause an allergic skin reaction.

- Additional toxicological information: --
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity
- May cause cancer by inhalation. Route of exposure: Inhalation.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure

Causes damage to organs through prolonged or repeated exposure.

• Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.

(Contd. on page 7)

CUUMSCHMELZE

for articles

Printing date 04.03.2020

Version number 2

Revision: 04.03.2020

Trade name: MUMETALL[®], VACOPERM HP[®]

(Contd. of page 6)

- Additional ecological information:
- General notes: Alloys in solid form do not pose an ecological threat.
- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods
- Recommendation Observe offical regulations.
- Uncleaned packaging: Not applicable

SECTION 14: Transport information

• Transport/Additional information:

- Land transport ADR/RID (cross-border):
- Remarks: Non-hazardous goods from the standpoint of the specified regulations
- Maritime transport IMDG:
- Remarks: Non-hazardous goods from the standpoint of the specified regulations
- Air Transport ICAO-TI and IATA-DGR:
- Remarks: Non-hazardous goods from the standpoint of the specified regulations

SECTION 15: Regulatory information

• 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- Directive 2012/18/EU
- Named dangerous substances ANNEX I None of the ingredients is listed.
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 27
- National regulations:
- Other regulations, limitations and prohibitive regulations
- e.g.
- 1272/2008/EG (CLP)
- 1907/2006/EG (REACH)
- German Hazardous Substances
- TRGS 561 / TRGS 910
- 15.2 Chemical safety assessment: Void (for articles)

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

Wording of the hazard warnings mentioned (Chapter 3) for pure substances:

- H302 Harmful if swallowed.
- H317 May cause an allergic skin reaction.
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

(Contd. on page 8)





for articles

Version number 2

Revision: 04.03.2020

Trade name: MUMETALL[®], VACOPERM HP[®]



