VACUUMSCHMELZE

Material Safety Data Sheet

(MSDS)

Printing date 01/31/2024

Version - No. 4

Reviewed on 01/31/2024

1 Identification

Product identifier

Trade name: VACON CF8, VACON CF8 HP, VACON CF 25

- Article number: -
- · Material Safety Data Sheet no.: SDB51
- · Application of the substance / the mixture semi-finished products and parts
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: VACUUMSCHMELZE GmbH & Co.KG Grüner Weg 37 D-63450 Hanau

datasheet@vacuumschmelze.com

- · Information department: Environmental Protection Department
- Emergency telephone number: Tel. no.: (**49) 6181/38-0 Emergency tel. no.: via (**49) 6181/38-0

2 Hazard(s) identification

· Classification (substance or mixture) Classification according to Regulation (EC) No 1272/2008 (CLP-Regulation): Not applicable Our semi-finished and finished products constitute manufactured articles under the terms of the REACH Regulation (EC) No. 1907/2006. For articles there is no obligation to classify acc. to CLP -Regulation. · GHS label elements Labelling according to Regulation (EC) No 1272/2008 (CLP-Regulation): Not applicable Additional VAC information: In the case of dust-producing processing, we recommend observance of the following warnings : Hazard statements May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction. Suspected of causing genetic defects. May cause cancer. Route of exposure: Inhalation. May damage fertility or the unborn child. Causes damage to the respiratory system through prolonged or repeated exposure. Route of exposure: Inhalation. Precautionary statements Do not breathe dust/fume/gas/mist/vapors/spray. Do not eat, drink or smoke when using this product. Avoid release to the environment. Use personal protective equipment as required. In case of inadequate ventilation wear respiratory protection. Get medical advice/attention if you feel unwell. Other hazards Results of PBT and vPvB assessment • PBT: Not applicable. •vPvB: Not applicable.

(Contd. on page 2)

USA

(MSDS)

Version - No. 4

Reviewed on 01/31/2024

Trade name: VACON CF8, VACON CF8 HP, VACON CF 25

(Contd. of page 1)

3 Composition/information on ingredients

- Chemical characterization:
- **Description:** Metal in compact form

Dangerous components:

The classifications given below reflect the classification of each <u>pure substance</u> respectively and are intended for information only

The legal classifications of the pure substances (harmonized classification according to substance list of the Annex VI of the CLP Regulation) got complemented, insofar as additional substance-specific information from accessible data sources (e.g. TRGS 905, toxicological studies) for health hazards and / or physical hazards are available.

* = possible inpurties

CAS: 7440-48-4 EINECS: 231-158-0 Index number: 027-001-00-9	cobalt Sensitization - Respiratory 1, H334; Germ Cell Mutagenicity 2, H341; Carcinogenicity 2, H351; Toxic to Reproduction 1B, H360; Sensitization - Skin 1, H317	74-92%
CAS: 7439-89-6 EINECS: 231-096-4	iron (compact form)	rest%
CAS: 7440-02-0 EINECS: 231-111-4 Index number: 028-002-00-7	nickel Carcinogenicity 2, H351; Specific Target Organ Toxicity - Repeated Exposure 1, H372; () Sensitization - Skin 1, H317	≤ 1*%

Additional information:

For the wording of the listed hazard phrases refer to section 16.

Additional information for Cobalt:

See also Chapter 11

4 First-aid measures

Description of first aid measures

After inhalation:

If metal vapours or solid dusts have been inhaled: Get the affected person out in the fresh air and call a doctor.

After skin contact:

Foreign bodies which have penetrated the skin must be removed and the wound cleaned thoroughly.

- After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: Consult a doctor if the symptoms persist.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents:
- Non-combustible.

Extinguishing agents must be adapted to the environment.

(Contd. on page 3)

USA



(MSDS)

Version - No. 4

Reviewed on 01/31/2024

Trade name: VACON CF8, VACON CF8 HP, VACON CF 25

(Contd. of page 2)

- Special hazards arising from the substance or mixture Formation of toxic smoke / fumes (metal / metal oxides) is possible during heating or in case of fire. Do not inhale fumes.
- Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

Accidental release of dusts and vapours which are damaging to health can be ruled out.

- · Personal precautions, protective equipment and emergency procedures No special measures required.
- · Environmental precautions: No special measures required.
- Methods and material for containment and cleaning up: No special measures required.
- Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

7 Handling and storage

• Handling:

Precautions for safe handling

No safety precautions are necessary in the delivered form. The appropriate industrial and environmental safety measures must be taken for processing steps which cause dust (see also section 8): Prevent formation of dust. Ensure good ventilation/exhaustion at the workplace. Take note of emission threshold.

- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.
- Storage class: Not applicable
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

 Additional information about design of technical systems:
Provide suction with filtering for good airing and ventilation of the work area during processing steps which cause
dust. Air return is only permitted in exceptional cases.
If industrial vacuum cleaners are used, these must have dust class H (DIN EN 60335-2-69).
Suitable breathing apparatus must be used during repair and maintenance work to suction systems, especially when changing filters (see personal safety equipment).
 Control parameters Components with limit values that require monitoring at the workplace:

(Contd. on page 4)



Version - No. 4

Reviewed on 01/31/2024

Trade name: VACON CF8, VACON CF8 HP, VACON CF 25

7440 40 4		(Contd. of page
7440-48-4		
PEL (USA)	as Co; *for metal dust and fume	
REL (USA)) Long-term value: 0.05 mg/m³ as Co; metal dust & fume	
TLV (USA)	Long-term value: 0.005* mg/m³ *thoracic particulate matter, RSEN, A2	
EL (Canad	a) Long-term value: 0.005 mg/m ³ thoracic, ACGIH A2, IARC 2A, S(R)	
EV (Canad	la) Long-term value: 0.1 mg/m³	
7439-89-6	iron (compact form)	
EV (Canad	la) Long-term value: 1* 5** mg/m³ as iron;*salts, water-soluble;**welding fume	
7440-02-0	nickel	
PEL (USA)		
REL (USA)	as Ni; See Pocket Guide App. A	
TLV (USA)	Long-term value: 1.5* mg/m³ elemental, *inhalable fraction, A5, BEI	
EL (Canad	a) Long-term value: 0.05 mg/m³ ACGIH A1, IARC 2B	
EV (Canad	la) Long-term value: 1 mg/m³ Inhalable fraction	
DNELs		
7440-48-4	cobalt	
	Langzeitexposition - Inhalation - lokale Wirkung	0.04 mg/m ³ (Ind)
		0.0063 mg/m³ (Consumer)
7440-02-0	nickel	
Inhalative	Langzeitexposition - Inhalation - lokale Wirkung	0.05 mg/m³ (Ind)
	Langzeitexposition - Inhalation - system. Wirkung	0.05 mg/m³ (Ind)
Ingredient	s with biological limit values:	·
7440-48-4	cobalt	
BEI (USA)	15 μg/L	
	Medium: urine	
	Time: end of shift at end of workweek Parameter: Cobalt (nonspecific)	
7440-02-0		
BEI (USA)		
	S μg/∟ Medium: urine	
	Time: post-shift at end of workweek	
	Parameter: Nickel (background)	
	30 µg/L	
	Medium: urine	
	Time: post-shift at end of workweek Parameter: Nickel (background)	
	Occupational Exposure Limit Values for poss of processes in the presence of atmospheric oxyge	
assumed.		



(MSDS)

Version - No. 4


Reviewed on 01/31/2024

Trade name: VACON CF8, VACON CF8 HP, VACON CF 25

Printing date 01/31/2024

Change in condition

Melting point/Melting range (approx): 1,450-1,500 °C



(Contd. on page 6)

(MSDS)

Version - No. 4

Reviewed on 01/31/2024

Trade name: VACON CF8, VACON CF8 HP, VACON CF 25

	(Contd. of page 5)
 Ignition temperature: 	Not applicable
 Danger of explosion: 	Not applicable
• Vapor pressure:	Not determined.
 Density (approx) at 20 °C: Relative density 	8.5 g/cm³ Not determined.
 Solubility in / Miscibility with Water: 	Insoluble.
Partition coefficient (n-octanol/water):	Not determined.
Other information	No further relevant information available.
Other Information	No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions
- Hydrogen is released in contact with acid which can cause explosive gas mixtures.
- Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- Information on toxicological effects
- Acute toxicity:
- LD/LC50 values:

The following applies for the pure substances:

ſ	7440-48-4 cobalt		
ſ	Oral	LD50	550 mg/kg (rat)
	Inhalative	LC50/4 h	mg/l (rat)
			siehe zusätzlicher toxikologischer Hinweis / see additional toxicological information
Ī	7440-02-0 nickel		
	Oral	LD50	>9,000 mg/kg (rat)

- Primary irritant effect:
- on the skin: No irritant effect.
- on the eye:

Irritation of the eyes in the case of massive direct contact will be mainly due to mechanical effects depending on the grain size.

- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

Subsequent users should be aware of the fact that Co-metal fine powder are classified as "acute toxic if inhaled, Category 1" (no legal classification); LC50 4hr ≤0,05 mg/l.

In case the subsequent use of product generates fine Co-metal particles (e.g. dust), protection measures such as described in Chapter 7 and 8 of this information sheet must be applied.

(Contd. on page 7) - USA



2B

2B

R

R

Material Safety Data Sheet

(MSDS)

Version - No. 4

Reviewed on 01/31/2024

Trade name: VACON CF8, VACON CF8 HP, VACON CF 25

(Contd. of page 6) When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

Carcinogenic categories

IARC (International Agency for Research on Cancer)

7440-48-4 cobalt

7440-02-0 nickel

NTP (National Toxicology Program)

7440-48-4 cobalt

7440-02-0 nickel

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Alloys in solid form do not pose an ecological threat.
- Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- Waste treatment methods
- · Recommendation: Observe offical regulations.
- Uncleaned packagings: Not applicable

14 Transport information • DOT Void • DOT Class Void • DOT Void Transport/Additional information: • ADR Remarks: Non-hazardous goods from the standpoint of the specified regulations Maritime transport IMDG: • Remarks: Non-hazardous goods from the standpoint of the specified regulations (Contd. on page 8)





(MSDS)

Version - No. 4

Reviewed on 01/31/2024

Trade name: VACON CF8, VACON CF8 HP, VACON CF 25

(Contd. of page 7)

• Air transport ICAO-TI and IATA-DGR

· Remarks: Non-hazardous goods from the standpoint of the specified regulations

· UN "Model Regulation": Void

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Section 355 (extremely hazardous substances):
- None of the ingredient is listed.
- Section 313 (Specific toxic chemical listings):
- 7440-48-4 cobalt
- 7440-02-0 nickel

 TSCA (Toxic Substances Control Act): All components have the value ACTIVE.

Hazardous Air Pollutants

7440-48-4 cobalt

· Chemicals known to cause cancer:

7440-48-4 cobalt

7440-02-0 nickel

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

TLV (Threshold Limit Value)

7440-48-4 cobalt

7440-02-0 nickel

NIOSH-Ca (National Institute for Occupational Safety and Health)

7440-02-0 nickel

National regulations:

· Information about limitation of use:

Employment restrictions concerning young persons must be observed. Employment restrictions concerning pregnant and lactating women must be observed. Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

• Technical instructions (air): The emission values and limitations must be observed!

· Water hazard class: Alloys in solid form do not pose an ecological threat.

· Other regulations, limitations and prohibitive regulations

e.g.

- 1272/2008/EG (CLP)

- 1907/2006/EG (REACH)

- German Hazardous Substances





A3

A5



(MSDS)

Version - No. 4

Reviewed on 01/31/2024

Trade name: VACON CF8, VACON CF8 HP, VACON CF 25

(Contd. of page 8)

Chemical safety assessment: Void (for articles)

16 Other information

16 Other information
This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.
 Relevant phrases Wording of the hazard warnings mentioned (Chapter 3) for pure substances: H317 May cause an allergic skin reaction. H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H341 Suspected of causing genetic defects. H351 Suspected of causing cancer. H360 May damage fertility or the unborn child. H372 Causes damage to organs through prolonged or repeated exposure.
• Department issuing SDS: Department OPS-C SE Tel. 06181/38-2045
 Contact: Environmental Protection Department Tel. 06181/38-2796 Date of preparation / last revision 01/31/2024 Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Raii) ICAO: International Civil Aviation Organisation ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDC: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent LD50: Lethal dose, 50 percent LD50: Lethal acocumulative and Toxic VPVB: very Persistent, Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit BEI: Biological Exposure Limit Sensitization - Respiratory 1: Respiratory sensitisation - Category 1
Germ Cell Mutagenicity 2: Germ cell mutagenicity – Category 2 Carcinogenicity 1A: Carcinogenicity – Category 1A Carcinogenicity 2: Carcinogenicity – Category 2 Toxic to Reproduction 1B: Reproductive toxicity – Category 1B Specific Target Organ Toxicity - Repeated Exposure 1: Specific target organ toxicity (repeated exposure) – Category 1
 Sources - GESTIS - Technische Regeln f ür Gefahrstoffe * Data compared to the previous version altered.
US

