VACUUMSCHMELZE

Material Safety Data Sheet

(MSDS)

Printing date 01/15/2019

Version - No. 2

Reviewed on 01/15/2019

1 Identification

- •1.1 Product identifier
- Trade name: VACOVIT 485 °, VACOVIT 511 °
- Article number:

® registered trademark of VACUUMSCHMELZE GmbH & Co. KG

- Material Safety Data Sheet no.: IB55
- Application of the substance / the mixture semi-finished products and parts
- 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier: VACUUMSCHMELZE GmbH & Co.KG Grüner Weg 37 D-63450 Hanau

datasheet@vacuumschmelze.com

- Information department: Environmental Protection Department
- **1.4 Emergency telephone number:** Tel. no.: (**49) 6181/38-0 Emergency tel. no.: via (**49) 6181/38-0

2 Hazard(s) identification

2.2 Classification (substance or mixture) Classification according to Regulation (EC) No 1272/2008 (CLP-Regulation): Not applicable Our semi-finished and finished products constitute manufactured articles under the terms of the REACH Regulation (EC) No. 1907/2006. For articles there is no obligation to classify acc. to CLP -Regulation. 2.2 Labelling according to Regulation (EC) No 1272/2008 Labelling according to Regulation (EC) No 1272/2008 (CLP-Regulation): Not applicable • Additional VAC information: In the case of dust-producing processing, we recommend observance of the following warnings : Hazard statements May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction. May cause cancer. Route of exposure: Inhalation. May damage fertility or the unborn child. Causes damage to organs through prolonged or repeated exposure. Precautionary statements Do not breathe dust/fume/gas/mist/vapors/spray. Do not eat, drink or smoke when using this product. Avoid release to the environment. Use personal protective equipment as required. In case of inadequate ventilation wear respiratory protection. Get medical advice/attention if you feel unwell. • 2.3 Other hazards • Results of PBT and vPvB assessment • PBT: Not applicable. • vPvB: Not applicable. USA



(MSDS)

Version - No. 2

Reviewed on 01/15/2019

Trade name: VACOVIT 485 °, VACOVIT 511 °

(Contd. of page 1)

3 Composition/information on ingredients

3.2 Chemical characterization:

• Description: Metal in compact form

• Dangerous components:

The classifications given below reflect the classification of each pure substance respectively and are intended for information only

The legal classifications of the pure substances (harmonized classification according to substance list of the Annex VI of the CLP Regulation) got complemented, insofar as additional substance-specific information from accessible data sources (e.g. TRGS 905, toxicological studies) for health hazards and / or physical hazards are available.

The concentration of cobalt might be $\geq 0.1\%$ (impurities)

* = possible inpurities

percention in pairing of		
CAS: 7440-02-0	nickel	47-52%
EINECS: 231-111-4 Index number: 028-002-00-7	🗞 Carc. 2, H351; STOT RE 1, H372; 🗘 Skin Sens. 1, H317	
CAS: 7439-89-6 EINECS: 231-096-4	iron (compact form)	rest%
CAS: 7440-47-3 EINECS: 231-157-5	chromium	1-6%
CAS: 7440-48-4	cobalt	$\le 0.2^{*}\%$
EINECS: 231-158-0 Index number: 027-001-00-9	Resp. Sens. 1, H334; Carc. 1B, H350; Repr. 1B, H360; () Acute Tox. 4, H302; Skin Sens. 1, H317	

Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

4.1 Description of first aid measures

• After inhalation:

If metal vapours or solid dusts have been inhaled: Get the affected person out in the fresh air and call a doctor.

- After skin contact: Foreign bodies which have penetrated the skin must be removed and the wound cleaned thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: Consult a doctor if the symptoms persist.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents: Non-combustible.
- Extinguishing agents must be adapted to the environment.
- 5.2 Special hazards arising from the substance or mixture Formation of toxic smoke / fumes (metal / metal oxides) is possible during heating or in case of fire. Do not inhale fumes.

(Contd. on page 3) USA



(MSDS)

Version - No. 2

Reviewed on 01/15/2019

Trade name: VACOVIT 485 °, VACOVIT 511 °

(Contd. of page 2)

- 5.3 Advice for firefighters
- Protective equipment: No special measures required.

6 Accidental release measures

Accidental release of dusts and vapours which are damaging to health can be ruled out.

• 6.1 Personal precautions, protective equipment and emergency procedures No special measures required.

- 6.2 Environmental precautions: No special measures required.
- 6.3 Methods and material for containment and cleaning up: No special measures required.
- 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

7.1 Precautions for safe handling

No safety precautions are necessary in the delivered form. The appropriate industrial and environmental safety measures must be taken for processing steps which cause dust (see also section 8): Ensure good ventilation/exhaustion at the workplace. Take note of emission threshold.

• Information about protection against explosions and fires: No special measures required.

•7.2 Conditions for safe storage, including any incompatibilities

• Storage:

• Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility: Not required.

• Further information about storage conditions: None.

- Storage class: Not applicable
- •7.3 Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems:

Provide suction with filtering for good airing and ventilation of the work area during processing steps which cause dust. Air return is only permitted in exceptional cases.

If industrial vacuum cleaners are used, these must have dust class H (DIN EN 60335-2-69).

Suitable breathing apparatus must be used during repair and maintenance work to suction systems, especially when changing filters (see personal safety equipment).

• 8.1 Control parameters

• Components with limit values that require monitoring at the workplace:

7440-02-0 n	ickel
PEL (USA)	Long-term value: 1 mg/m ³
REL (USA)	Long-term value: 0.015 mg/m ³ as Ni; See Pocket Guide App. A



Version - No. 2

Reviewed on 01/15/2019

Trade name: VACOVIT 485 °, VACOVIT 511 °

	(Contd. of page 3
TLV (USA)	Long-term value: 1.5* mg/m ³
	elemental, *inhalable fraction
EL (Canad	a) Long-term value: 0.05 mg/m³ ACGIH A1, IARC 2B
EV (Canad	a) Long-term value: 1 mg/m ³ Inhalable fraction
7439-89-6	iron (compact form)
EV (Canad	a) Long-term value: 1* 5** mg/m ³ as iron;*salts, water-soluble;**welding fume
7440-47-3	chromium
PEL (USA)	Long-term value: 1 mg/m ³
REL (USA)	Long-term value: 0.5* mg/m ³ *metal+inorg.compds.as Cr;See Pocket Guide App. C
TLV (USA)	Long-term value: 0.003* 0.5** mg/m ³ inh. fraction, *as Cr(III),**metal
IOELV (EU) Long-term value: 2 mg/m ³ as Cr
EL (Canad	a) Long-term value: 0.5 mg/m ³ as metal
EV (Canad	a) Long-term value: 0.05 mg/m³
7440-48-4	cobalt
PEL (USA)	
	as Co; *for metal dust and fume
REL (USA)	Long-term value: 0.05 mg/m ³ as Co; metal dust & fume
TLV (USA)	Long-term value: (0.02) NIC-0.02* mg/m³ *inh. fraction; NIC-Skin, DSEN, RSEN, BEI
EL (Canad	a) Long-term value: 0.02 mg/m³ as Co; IARC 2B
EV (Canad	a) Long-term value: 0.1 mg/m³
DNELs	
In German continue to for example available, t (Source: In	OSH purposes y, occupational exposure limits (AGW) of the Technical Rules on Hazardous Substances (TRGS) 900 constitute workplace atmospheric limit values that are binding upon employers. Should no AGW and e no maximum workplace concentration (MAK value) of the German Research Foundation (DFG) be he employer must also consider the DNEL during risk assessment. stitut für Arbeitsschutz der Deutschen Gesetzlichen Unfallversicherung (IFA)) ues are available: http://www.dguv.de/ifa/gestis/gestis-dnel-liste/index.jsp.
7440-02-0	nickel
	Langzeitexposition - Inhalation - Iokale Wirkung 0.05 mg/m³ (Ind)
	Langzeitexposition - Inhalation - system. Wirkung 0.05 mg/m ³ (Ind)
7440-48-4	cobalt
	Langzeitexposition - Inhalation - Iokale Wirkung 0.04 mg/m³ (Ind)
	0.0063 mg/m ³ (Consumer)
1	



Version - No. 2

Reviewed on 01/15/2019

Printing date 01/15/2019

Trade name: VACOVIT 485 $^\circ,$ VACOVIT 511 $^\circ$

-	nts with biological limit values:
7440-48-	-4 cobalt
BEI (USA	 A) 15 μg/L Medium: urine Time: end of shift at end of workweek Parameter: Cobalt (background) 1 μg/L Medium: blood Time: end of shift at end of workweek
	Parameter: Cobalt (background, semi-quantitative)
If the occ concentr must be	considered! nal processes in the presence of atmospheric oxygen, oxidic nickel compounds must always be
The lists GESTIS http://ww	nal information: that were valid during the creation were used as basis. International Limit Values: w.dguv.de/ifa/Gefahrstoffdatenbanken/GESTIS-Internationale-Grenzwerte-für-chemische-Substanzen- ies-for-chemical-agents/index.jsp
 Persona General 	osure controls Il protective equipment: protective and hygienic measures:
Wash ha Store pro	ay from foodstuffs, beverages and feed. ands before breaks and at the end of work. otective clothing separately. at, drink, smoke or sniff while working.
Wash ha Store pro Do not e	ay from foodstuffs, beverages and feed. ands before breaks and at the end of work. otective clothing separately.
Wash ha Store pro Do not e • Breathin	ay from foodstuffs, beverages and feed. ands before breaks and at the end of work. otective clothing separately. at, drink, smoke or sniff while working.
Wash ha Store pro Do not e • Breathin	ay from foodstuffs, beverages and feed. ands before breaks and at the end of work. btective clothing separately. at, drink, smoke or sniff while working. ng equipment: In the case of dust formation (limit value exceeded), breathing apparatus must be worn.
Wash ha Store pro Do not e • Breathin	ay from foodstuffs, beverages and feed. ands before breaks and at the end of work. betective clothing separately. at, drink, smoke or sniff while working. ng equipment: In the case of dust formation (limit value exceeded), breathing apparatus must be worn. Time limits for wearing must be observed. Breathing mask, apparatus with particle filter P2 or P3, for example: - Full face mask (EN 136) - Breathing mask (EN 149) FFP2 or FFP3 10 times the limit value (FFP2) 30 times the limit value (FFP3)
• Protection	ay from foodstuffs, beverages and feed. ands before breaks and at the end of work. betective clothing separately. at, drink, smoke or sniff while working. ng equipment: In the case of dust formation (limit value exceeded), breathing apparatus must be worn. Time limits for wearing must be observed. Breathing mask, apparatus with particle filter P2 or P3, for example: - Full face mask (EN 136) - Breathing mask (EN 149) FFP2 or FFP3 10 times the limit value (FFP2) 30 times the limit value (FFP3) Recommendation: P3
Wash ha Store pro Do not e • Breathin • Breathin • Protectio	ay from foodstuffs, beverages and feed. ands before breaks and at the end of work. betective clothing separately. at, drink, smoke or sniff while working. ng equipment: In the case of dust formation (limit value exceeded), breathing apparatus must be worn. Time limits for wearing must be observed. Breathing mask, apparatus with particle filter P2 or P3, for example: - Full face mask (EN 136) - Breathing mask (EN 149) FFP2 or FFP3 10 times the limit value (FFP2) 30 times the limit value (FFP3) Recommendation: P3 on of hands:
 Wash ha Store pro Do not er Breathin Breathin Protection Protection Preventive Material Experien and poly 	ay from foodstuffs, beverages and feed. ands before breaks and at the end of work. betective clothing separately. at, drink, smoke or sniff while working. ng equipment: In the case of dust formation (limit value exceeded), breathing apparatus must be worn. Time limits for wearing must be observed. Breathing mask, apparatus with particle filter P2 or P3, for example: - Full face mask (EN 136) - Breathing mask (EN 149) FFP2 or FFP3 10 times the limit value (FFP2) 30 times the limit value (FFP3) Recommendation: P3 on of hands: Avoid repeated and prolonged contact with the skin, use protective gloves.



(MSDS)

Version - No. 2

Reviewed on 01/15/2019

Trade name: VACOVIT 485 °, VACOVIT 511 °

(Contd. of page 5)

• Eye protection:



In the event of larger quantities of dust: Wear protective glasses / EN 166, poss. with side protection.

• Limitation and supervision of exposure into the environment The legal issue values and limitations are to be paid attention!

 9.1 Information on basic physical and General Information 	chemical properties
• Appearance:	
Form:	Semi-finished products/parts: e.g. strip, wire and parts
Color:	Metallic
• Odor:	Odourless
• pH-value:	Not applicable.
Change in condition Melting point/Melting range (approx)	: 1,450 °C
Auto igniting:	Not applicable
Danger of explosion:	Not applicable
• Vapor pressure:	Not determined.
Density (approx) at 20 °C:	8.2 g/cm ³
Relative density	Not determined.
 Solubility in / Miscibility with 	
	Insoluble.

10 Stability and reactivity

- 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions
- Hydrogen is released in contact with acid which can cause explosive gas mixtures.
- 10.4 Conditions to avoid No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- •10.6 Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- 11.1 Information on toxicological effects
- Acute toxicity: Based on available data, the classification criteria are not met.

(Contd. on page 7)

- USA



(MSDS)

Version - No. 2

Reviewed on 01/15/2019

Trade name: VACOVIT 485 °, VACOVIT 511 °

• LD/LC50		(Contd	of page
7440-02-0			
Oral	LD50	>9.000 mg/kg (rat)	
		23,000 mg/kg (lat)	
7440-48-4			
Oral	LD50	550 mg/kg (rat)	
Inhalative	LC50/4 h	mg/l (rat)	
		siehe zusätzlicher toxikologischer Hinweis / see additional toxicological information	1
Primary in	ritant effe	ect:	
• on the sk	in: see sei	nsitization	
• on the ey			
		in the case of massive direct contact will be mainly due to mechanical effects dependent	ndina or
the grain s	,		ianig ei
Sensitizat			
May cause	e allerav o	r asthma symptoms or breathing difficulties if inhaled.	
		ic skin reaction.	
• • • • • • • • •	واوواندوا	alaal information.	
 Additional 	ΙΙ τΟΧΙΟΟΙΟ	gical information:	
Carcinoge	enic categ	jories	
• IARC (Inte	ernational	Agency for Research on Cancer)	
7440.00.0			
7440-02-0	nickel		28
	chromiur	n	2E 3
	chromiur	n	3
7440-47-3 7440-48-4	chromiur cobalt	n cology Program)	3
7440-47-3 7440-48-4	chromiur cobalt onal Toxi	·····	3 2E
7440-47-3 7440-48-4 • NTP (Nati	chromiur cobalt onal Toxio	·····	2E 3 2E F
7440-47-3 7440-48-4 • NTP (Nati 7440-02-0 7440-48-4	chromiur cobalt onal Toxie nickel cobalt	·····	3 2E

12 Ecological information

- 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- •12.3 Bioaccumulative potential No further relevant information available.
- •12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes: Alloys in solid form do not pose an ecological threat.
- 12.5 Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

13 Disposal considerations

- 13.1 Waste treatment methods
- Recommendation: Observe offical regulations.

(Contd. on page 8) - USA



(MSDS)

Version - No. 2

Reviewed on 01/15/2019

Trade name: VACOVIT 485 °, VACOVIT 511 °

(Contd. of page 7)

Uncleaned packagings: Not applicable

14 Transport information

• Transport/Additional information:

- ADR
- Remarks: Non-hazardous goods from the standpoint of the specified regulations
- Maritime transport IMDG:
- Remarks: Non-hazardous goods from the standpoint of the specified regulations
- Air transport ICAO-TI and IATA-DGR
- Remarks: Non-hazardous goods from the standpoint of the specified regulations

15 Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- National regulations:
- Information about limitation of use:

Employment restrictions concerning young persons must be observed. Employment restrictions concerning pregnant and lactating women must be observed.

- Technical instructions (air): The emission values and limitations must be observed!
- Water hazard class: Alloys in solid form do not pose an ecological threat.
- Other regulations, limitations and prohibitive regulations
- e.g.
- 1272/2008/EG (CLP)
- 1907/2006/EG (REACH)
- German Hazardous Substances
- 15.2 Chemical safety assessment: Void (for articles)

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Relevant phrases
- Wording of the hazard warnings mentioned (Chapter 3) for pure substances:
- H302 Harmful if swallowed.
- H317 May cause an allergic skin reaction.
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- H350 May cause cancer. Route of exposure: Inhalation.
- H351 Suspected of causing cancer. Route of exposure: Inhalation.
- H360 May damage fertility or the unborn child.
- H372 Causes damage to organs through prolonged or repeated exposure.
- Department issuing SDS:

Department OPS-C SE Tel. 06181/38-2045

(Contd. on page 9)



(MSDS)

Version - No. 2

Reviewed on 01/15/2019

Trade name: VACOVIT 485 [®], VACOVIT 511 [®]

(Contd. of page 8)

• Contact: **Environmental Protection Department** Tel. 06181/38-2359 • Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit Acute Tox. 4: Acute toxicity – Category 4 Resp. Sens. 1: Respiratory sensitisation – Category 1 Skin Sens. 1: Skin sensitisation - Category 1 Carc. 1B: Carcinogenicity – Category 1B Carc. 2: Carcinogenicity – Category 2 Repr. 1A: Reproductive toxicity – Category 1A Repr. 1B: Reproductive toxicity – Category 1B STOT RE 1: Specific target organ toxicity (repeated exposure) - Category 1 Sources - KÜHN-BIRETT-Merkblätter gefährlicher Arbeitsstoffe - Technische Regeln für Gefahrstoffe USA

